Technical Data Sheet

TRILITE® MCK-30L

Chromatography cation resins

Rev 3. Jan 2023

TRILITE® MCK-30L Fine Mesh Strong Acid Cation Exchange Resin is a Gel Type Uniform Particle Size resin. TRILITE® MCK-30L is a standard crosslinkage product and it has outstanding mechanical and chemical stability, leading to low crush rate even after long-term use. TRILITE® MCK-30L is supplied by Na⁺ form.

Physical and Chemical Properties		
Styrene-DVB, Gel	Functional Group	Sulfonic acid
Na ⁺	Total Capacity(eq/l)	1.60 ↑
830	Moisture Retention (%)	52~56
1.1 ↓	Particle Size (μm)	328±15
95↑		
	Styrene-DVB, Gel Na ⁺ 830 1.1 ↓	Styrene-DVB, Gel Functional Group Na ⁺ Total Capacity(eq/ℓ) 830 Moisture Retention (%) 1.1 ↓ Particle Size (μm)

Recommended Operating (Conditions	
Operating Temp (°C) 12	0↓ pH Range	0~14

Applications

TRILITE® MCK SERIES is a resin for chromatographic separation process as glucose and fructose separation, oligosaccharide separation and high purity sugar recovery from molasses.

All information contained in brochure is not absolute rather than relative one, created under the controlled environment by Samyang Corporation. Therefore, Samyang Corporation has no legal responsibility with respect to any and all information provided in brochure.

Samyang's TRILITE Ion exchange resins are produced based on the ISO 9001, ISO 14001 certification.

Samyang Corporation, 31 Jong-ro 33-gil, Jongno-gu, Seoul, Korea Tel: (02)740-7732~7, Fax: (02)740-7140



http://samyangtrilite.com